TDMS No. 96019 - 06

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a)
WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

Date Report Regsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

Lab: SRI

CAS Number: 5589-96-8

Species/Strain: MICE/B6C3F1 Pathologist: HEATH, J. - Unknown, U.

F1_M3_CORE

C Number: C96019

Lock Date: 07/14/2004

Cage Range: ALL

Test Type: CHRONIC

Route: DOSED WATER

Date Range: ALL

Reasons For Removal: 25021 TSAC 25020 NATD 25019 MSAC

Removal Date Range: ALL

Treatment Groups: Include ALL

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Reqsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

B6C3F1 MICE MALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L
Disposition Summary				
Animals Initially in Study	66	66	66	66
Early Deaths	00	00	00	00
Moribund Sacrifice	6	5	9	15
Natural Death	6	10	11	14
Survivors				
Terminal Sacrifice	38	35	30	21
Animals Examined Microscopically	50	50	50	50
ALIMENTARY SYSTEM				
Esophagus	(50)	(50)	(49)	(50)
Ulcer	1 [4.0]	` '	,	,
Intestine Large, Cecum	(49)	(49)	(49)	(49)
Developmental Malformation				1
Edema	1 [2.0]	1 [2.0]		1 [2.0]
Inflammation	4>	4	4	1 [3.0]
Intestine Large, Colon	(50)	(50)	(50)	(50)
Ulcer Intestine Small, Duodenum	(40)	(47)	1 [4.0]	(47)
Intestine Small, Duodenum Intestine Small, Jejunum	(48) (47)	(47) (47)	(48) (46)	(47) (43)
Developmental Malformation	(47)	(47)	(40)	(4 3) 1
Hyperplasia, Lymphoid			1 [2.0]	ı
Epithelium, Hyperplasia			. []	1 [3.0]
Peyer's Patch, Inflammation, Suppurative			1 [2.0]	
Liver	(50)	(50)	(50)	(50)
Amyloid Deposition	1 [4.0]			
Angiectasis	2 [3.0]			
Basophilic Focus	5	11	8	4
Clear Cell Focus	15	9	4	1
Eosinophilic Focus	20	25	14	19
Fibrosis Hematopoietic Cell Proliferation	1 [1.0] 1 [2.0]	1 [2 0]	2 [2 5]	2 [2 0]
Hemorrhage	1 [2.0] 1 [2.0]	1 [2.0]	2 [2.5] 1 [3.0]	3 [2.0]
Infarct	1 [2.0] 1		1 [3.0]	
Infiltration Cellular, Mixed Cell	4 [2.3]	1 [2.0]	2 [3.0]	2 [2.0]
Mixed Cell Focus	5	9	6	4

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Reqsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

B6C3F1 MICE MALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L	
Necrosis, Focal	F [2 2]	E [4 0]	7 [2 2]	7 [0 7]	
	5 [2.2]	5 [1.8]	7 [2.3]	7 [2.7]	
Regeneration Bile Duct, Cyst Multilocular	1 [3.0] 1				
Centrilobular, Necrosis	1 [1.0]	2 [4 0]	4 [2.5]	8 [2.4]	
Hepatocyte, Fatty Change	1 [1.0]	2 [4.0]	4 [2.5] 1 [2.0]	0 [2.4]	
Hepatocyte, Fatty Change Hepatocyte, Vacuolization Cytoplasmic	3 [3.3]	12 [2.6]	1 [2.0] 17 [3.2]	19 [3.2]	
Mesentery	(15)	(12)	(8)	(8)	
Angiectasis	(13)	1 [3.0]	(6)	(6)	
Fat, Necrosis	15 [3.3]	9 [3.3]	6 [3.3]	3 [3.0]	
Pancreas	(50)	(50)	(50)	(50)	
Necrosis	(30)	(30)	(30)	1 [3.0]	
Acinus, Cytoplasmic Alteration	2 [3.0]	5 [3.0]	5 [3.0]	8 [3.0]	
Salivary Glands	(50)	(50)	(50)	(50)	
Hyperplasia, Lymphoid	2 [2.0]	4 [2.3]	3 [2.3]	5 [2.0]	
Necrosis	2 [2.0]	1 [3.0]	0 [2.0]	0 [2.0]	
Stomach, Forestomach	(50)	(50)	(49)	(50)	
Diverticulum	(00)	(00)	(10)	2	
Dysplasia			1 [2.0]	_	
Inflammation, Chronic		1 [2.0]	. [2.0]	3 [2.3]	
Ulcer	2 [2.0]	2 [3.0]	3 [2.3]	3 [2.7]	
Epithelium, Hyperplasia, Squamous	6 [2.0]	6 [2.5]	5 [2.0]	9 [2.3]	
Stomach, Glandular	(50)	(50)	(49)	(50)	
Erosion	3 [2.7]	2 [2.5]	4 [1.5]	3 [2.7]	
Metaplasia, Atypical	- 1	1	1	1 [3.0]	
Ulcer	2 [2.5]		1 [3.0]		
Glands, Hyperplasia	1 [2.0]	1 [2.0]	1 [3.0]	2 [3.0]	
Tooth	(2) 1	(0)	(0)	(0)	
Malformation	1	, ,	. ,	, ,	
CARDIOVASCULAR SYSTEM					
Blood Vessel	(2)	(2)	(1)	(4)	
Hypertrophy	(4)	1 [4.0]	(1)	1 [4.0]	
Inflammation, Chronic		1 [4.0] 1 [4.0]		1 [4.0] 1 [4.0]	
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	4 [1.5]	1 [1.0]	1 [1.0]	1 [1.0]	
Hemorrhage	[۱.۵] -	1 [1.0] 1 [2.0]	ال.٠١ ا	i [i.oj	
Inflammation, Chronic	3 [2.0]	1 [2.0]	3 [1.0]	3 [2.7]	
Mineralization	1 [3.0]	1 [1.0]	2 [2.0]	5 [2.4]	
WIII IGI AIIZALIOTI	1 [0.0]	1 [1.0]	ک زک.ن	ل اح.⊤ا	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Reqsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

B6C3F1 MICE MALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L	
Thrombosis		1 [4.0]	1 [4.0]		
ENDOCRINE SYSTEM					
Adrenal Cortex Accessory Adrenal Cortical Nodule Angiectasis Degeneration, Fatty Hyperplasia, Focal Hypertrophy, Focal Capsule, Hyperplasia Adrenal Medulla Hyperplasia Islets, Pancreatic Hyperplasia Parathyroid Gland Cyst Pituitary Gland Pars Distalis, Cyst Thyroid Gland Follicle, Cyst Follicle, Degeneration, Focal	(50) 2 [3.0] 1 [1.0] 1 [1.0] 5 [1.4] 8 [1.9] (50) 1 [1.0] (50) 35 [2.1] (32) (50) 5 [3.0] (50) 1 [3.0] 9 [2.0]	(50) 7 [2.7] 1 [2.0] 8 [1.5] 10 [2.1] (50) 2 [1.0] (50) 29 [2.1] (40) 2 [3.0] (50) 6 [3.0] (50) 1 [3.0] 18 [1.8]	(50) 2 [3.0] 3 [2.0] 2 [1.5] (50) 1 [1.0] (48) 21 [2.0] (37) 1 [3.0] (48) 3 [3.0] (50) 2 [3.0] 10 [1.7]	(50) 2 [3.0] 1 [4.0] 1 [1.0] 2 [2.0] 2 [2.0] (47) (50) 10 [1.5] (38) 1 [3.0] (49) 3 [3.0] (50) 2 [3.0] 8 [1.5]	
Follicular Cell, Hyperplasia	18 [1.9]	14 [1.9]	14 [1.8]	5 [1.6]	
GENERAL BODY SYSTEM					
Tissue NOS	(0)	(0)	(0)	(1)	
GENITAL SYSTEM					
Epididymis Granuloma Sperm Inflammation, Chronic	(50) 1 [2.0] 1 [2.0]	(50) 1 [2.0]	(50)	(50)	
Necrosis Spermatocele Preputial Gland Foreign Body Granuloma	(48)	1 [3.0] (50)	(50)	1 [3.0] (50) 1 1 [4.0]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Reqsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

B6C3F1 MICE MALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L	
Hyperplasia	1 [1.0]				
Inflammation, Chronic	19 [2.2]	27 [2.3]	21 [2.2]	22 [2.2]	
Duct, Ectasia	41 [2.8]	41 [3.1]	41 [3.0]	47 [3.1]	
Prostate	(50)	(50)	(50)	(50)	
Inflammation, Chronic	2 [2.0]	3 [1.7]	2 [2.0]	1 [2.0]	
Seminal Vesicle	(50)	(50)	(50)	(50)	
Degeneration	1 [3.0]	1 [3.0]	1 [3.0]	1 [2.0]	
Inflammation, Chronic	1 [2.0]	1 [3.0]	1 [3.0]	1 [2.0]	
Testes	(50)	(50)	(50)	(50)	
		(30)	(30)	(30)	
Angiectasis	1 [3.0]	2 [2 7]	2 [4 7]	ρ (2) Δ	
Germinal Epithelium, Atrophy	4 [1.5]	3 [2.7]	3 [1.7]	8 [2.4]	
EMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(48)	(47)	(48)	
Depletion Cellular		1 [3.0]			
Hyperplasia	29 [2.1]	21 [2.8]	31 [2.7]	40 [2.6]	
Lymph Node	(5)	(6)	(5)	(3)	
Iliac, Hematopoietic Cell Proliferation		1 [2.0]	1 [2.0]		
Iliac, Hyperplasia, Lymphoid	1 [3.0]	1 [2.0]			
Iliac, Pigmentation	2 [2.5]		2 [3.0]		
Inguinal, Pigmentation		1 [2.0]			
Mediastinal, Hemorrhage		1 [2.0]		3 [2.0]	
Mediastinal, Hyperplasia, Lymphoid	1 [2.0]		1 [2.0]		
Mediastinal, Pigmentation	,	1 [2.0]	1 [2.0]	3 [2.0]	
Lymph Node, Mandibular	(50)	(45)	(41)	(45)	
Atrophy	1 [3.0]	6 [2.3]	3 [2.3]	18 [2.4]	
Hematopoietic Cell Proliferation	1 [2.0]	1 [1.0]	1 [2.0]	· - f · 1	
Hyperplasia, Lymphoid	9 [2.4]	10 [3.0]	4 [2.0]		
Pigmentation	٠ (٢٠٠٠)	1 [3.0]	1 [3.0]	2 [3.0]	
Lymph Node, Mesenteric	(45)	(45)	(44)	(45)	
Angiectasis	(10)	(10)	(' ')	1 [3.0]	
Atrophy	5 [2.4]	5 [2.4]	2 [3.0]	15 [2.5]	
Ectasia	رح.ح	الح.ع]	1 [3.0]	10 [2.0]	
Hematopoietic Cell Proliferation	1 [2.0]	2 [2.0]	2 [2.0]	3 [2.3]	
Hemorrhage	5 [2.0]	2 [2.0] 3 [2.0]	2 [2.0] 4 [1.8]	2 [2.0]	
Hyperplasia, Lymphoid	7 [2.7]	3 [2.0] 3 [3.0]	2 [2.5]	2 [2.0] 1 [4.0]	
Spleen	/ [2.7] (50)		2 [2.5] (50)	(50)	
Accessory Spleen	(30)	(50) 1	(30)	(30)	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Reqsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

Lab: SRI

B6C3F1 MICE MALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L	
Angiectasis Fibrosis Hematopoietic Cell Proliferation Lymphoid Follicle, Atrophy Lymphoid Follicle, Hyperplasia Thymus Atrophy Cyst Hyperplasia, Lymphoid	20 [2.6] 3 [2.7] 3 [2.0] (46) 14 [2.9] 8 [3.0]	23 [2.8] 5 [3.0] 2 [2.0] (40) 22 [2.8] 4 [3.0]	39 [3.2] 6 [2.8] 2 [2.5] (36) 18 [2.9] 3 [3.0]	1 [2.0] 1 [2.0] 40 [3.3] 6 [2.8] 1 [2.0] (40) 24 [3.1] 3 [3.0] 1 [2.0]	
INTEGUMENTARY SYSTEM					
Skin Cyst Epithelial Inclusion	(50)	(50) 1	(50)	(50)	
Edema Hemorrhage		1 [3.0] 1 [1.0]	5 [3.2]	1 [3.0]	
Ulcer Epidermis, Hyperplasia Sebaceous Gland, Hyperplasia	2 [4.0] 2 [3.5]	4 [3.3] 3 [2.7]	5 [4.0] 5 [3.2] 1 [3.0]	4 [4.0] 4 [2.8]	
MUSCULOSKELETAL SYSTEM					
Bone Necrosis, Focal	(50)	(50)	(50)	(50)	
Cranium, Osteopetrosis		1 [3.0]	1 [3.0]	1 [2.0]	
Femur, Fibrous Osteodystrophy Skeletal Muscle Atrophy	(2) 1 [1.0]	(3)	(2)	1 [3.0] (6) 1 [1.0]	
NERVOUS SYSTEM					
Brain Gliosis	(50)	(50) 1 [3.0]	(50)	(50)	
Hemorrhage	1 [2.0]	1 [1.0]	(2)	1 [4.0]	
Peripheral Nerve Atrophy	(1) 1 [3.0]	(2) 1 [2.0]	(2) 1 [2.0]	(5) 2 [1.0]	

RESPIRATORY SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Reqsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

B6C3F1 MICE MALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L	
Lung Edema Foreign Body	(50) 1	(50) 1 [3.0]	(50)	(50) 1 [2.0] 1	
Hemorrhage Hyperplasia, Lymphoid Infiltration Cellular, Histiocyte	1 [1.0] 1 [2.0] 10 [3.4]	3 [1.3] 2 [2.5] 14 [3.0]	1 [1.0] 5 [2.6]	2 [2.0] 1 [2.0] 7 [2.7]	
Inflammation, Suppurative Thrombosis Alveolar Epithelium, Hyperplasia Nose	1 [2.0] 3 [2.3] (50)	6 [1.7] (50)	4 [2.0] (50)	2 [3.0] 2 [2.0] 3 [1.7] (50)	
Foreign Body Inflammation, Chronic	1 2 [2.0]	(30)	(30)	1 1 [3.0]	
SPECIAL SENSES SYSTEM					
Eye Atrophy Hemorrhage	(50)	(50) 1 [3.0]	(50) 1 [4.0]	(50)	
Inflammation, Chronic Cornea, Hyperplasia Harderian Gland Hyperplasia, Focal Inflammation, Chronic	(50) 4 [2.0]	1 [3.0] 1 [3.0] (50) 1 [2.0]	1 [3.0] 1 [2.0] (49) 2 [2.0] 1 [3.0]	(50) 2 [1.5]	
Acinus, Atrophy	1 [3.0]		1 [3.0]		
URINARY SYSTEM					
Kidney Cyst Glomerulosclerosis	(50) 10 [3.0]	(50) 10 [3.0]	(50) 16 [3.0] 1 [3.0]	(50) 2 [3.0] 1 [3.0]	
Hydronephrosis Hyperplasia, Lymphoid Infarct Inflammation, Suppurative	1 [2.0] 1 [3.0] 11	1 [2.0] 2 1 [3.0]	1 [4.0] 6	2 [2.0] 5 1 [2.0]	
Inflammation, Chronic Metaplasia, Osseous Nephropathy Renal Tubule, Accumulation, Hyaline Droplet	3 [2.0] 6 [2.2] 40 [1.7]	3 [2.7] 6 [1.7] 39 [1.8] 1 [3.0]	3 [2.0] 3 [2.0] 31 [1.7] 2 [2.5]	2 [2.5] 1 [2.0] 29 [1.8]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

TDMS No. 96019 - 06
Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Regsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

B6C3F1 MICE MALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L	
Renal Tubule, Dilatation, Diffuse	2 [3.0]	1 [2.0]	1 [3.0]	2 [3.0]	
Renal Tubule, Hyperplasia	1 [1.0]	1 [1.0]			
Renal Tubule, Necrosis	1 [1.0]	2 [2.5]	1 [2.0]	3 [2.0]	
Renal Tubule, Pigmentation	1 [3.0]	4 [2.5]	21 [2.7]	24 [3.3]	
Urethra	(1)	(0)	(0)	(0)	
Angiectasis	1 [4.0]				
Inflammation, Acute	1 [3.0]				
Urinary Bladder	(50)	(50)	(49)	(50)	
Edema		2 [3.0]	2 [3.0]	1 [3.0]	
Inflammation, Chronic		1 [2.0]	1 [3.0]		
Transitional Epithelium, Hyperplasia			1 [3.0]		

^{***} END OF MALE ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Reqsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

B6C3F1 MICE FEMALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L
Disposition Summary				
Animals Initially in Study	66	66	66	66
Early Deaths				
Moribund Sacrifice	4	3	3	2
Natural Death	10	5	15	8
Survivors				
Natural Death				1
Terminal Sacrifice	36	42	32	39
Animals Examined Microscopically	50	50	50	50
ALIMENTARY SYSTEM				
Gallbladder	(42)	(49)	(41)	(41)
Intestine Large, Cecum	(48)	(50)	(46)	(47)
Edema	, ,	1 [2.0]	, ,	1 [2.0]
Ulcer		1 [2.0]		
Intestine Large, Colon	(50)	(50)	(50)	(49)
Diverticulum		1		
Intestine Small, Duodenum	(48)	(45)	(45)	(46)
Epithelium, Hyperplasia		1 [2.0]		1 [3.0]
Intestine Small, Ileum	(47)	(50)	(47)	(46)
Epithelium, Hyperplasia	()	2 [3.0]	()	(4.6)
Intestine Small, Jejunum	(48)	(48)	(46)	(44)
Hyperplasia, Lymphoid	1 [2.0]	4 [0.0]	4 [0 0]	1 [3.0]
Epithelium, Hyperplasia		1 [3.0]	1 [2.0]	4 [0 0]
Peyer's Patch, Inflammation, Suppurative	(50)	(FO)	(50)	1 [3.0]
Liver	(50)	(50)	(50)	(50)
Angiectasis Autolysis	1 [3.0]		2 [3.5]	1 [2 0]
Basophilic Focus	1	3	6	1 [3.0] 5
Clear Cell Focus	4	3 4	2	J
Eosinophilic Focus	13	22	31	24
Hematopoietic Cell Proliferation	3 [2.3]	1 [3.0]	2 [2.5]	2 [2.0]
Hemorrhage	2 [3.0]	. [0.0]	1 [3.0]	_ [=.0]
Infiltration Cellular, Mixed Cell	4 [2.3]	4 [2.3]	5 [2.4]	
Mixed Cell Focus	5	10	6	1
Necrosis, Focal	3 [2.3]	2 [1.0]	2 [3.5]	2 [1.0]

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Reqsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

Lab: SRI

B6C3F1 MICE FEMALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L	
Tension Lipidosis Bile Duct, Cyst Multilocular		1 1		1	
Centrilobular, Necrosis		I		2 [1.5]	
Hepatocyte, Fatty Change		1 [3.0]	1 [2.0]	2 [1.5]	
Hepatocyte, Fatty Change, Focal	1 [1.0]	1 [5.0]	1 [2.0]		
Hepatocyte, Hyperplasia, Nodular	1 [2.0]				
Hepatocyte, Vacuolization Cytoplasmic	3 [3.0]	11 [2.5]	27 [2.8]	42 [3.3]	
Kupffer Cell, Hyperplasia	1 [3.0]	11 [2.0]	27 [2.0]	42 [0.0]	
Mesentery	(14)	(16)	(15)	(7)	
Inflammation, Suppurative	(· · /	(10)	1 [4.0]	(.,	
Proliferation Connective Tissue			1		
Fat, Necrosis	8 [3.3]	15 [3.9]	9 [3.7]	5 [2.8]	
Pancreas	(49)	(50)	(49)	(49)	
Atrophy	,	1 [4.0]	,	,	
Cyst	1 [3.0]	1 [3.0]			
Acinus, Cytoplasmic Alteration	3 [3.3]	4 [3.3]	2 [3.0]	3 [3.0]	
Salivary Glands	(50)	(50)	(48)	(48)	
Atrophy				1 [2.0]	
Hyperplasia, Lymphoid	17 [2.1]	19 [2.2]	12 [2.2]	12 [2.3]	
Stomach, Forestomach	(50)	(50)	(50)	(50)	
Diverticulum	1			1	
Edema		1 [3.0]			
Erosion	1 [1.0]				
Inflammation, Chronic	2 [2.0]		1 [2.0]		
Ulcer	0.70.01	2 [2.0]	1 [2.0]	0.74 =1	
Epithelium, Hyperplasia, Squamous	3 [2.3]	2 [2.5]	1 [1.0]	3 [1.7]	
Stomach, Glandular	(50)	(50)	(50)	(50)	
Erosion	2 [2.0]		1 [3.0]	2 [2.0]	
Ulcer				2 [3.0]	
CARDIOVASCULAR SYSTEM					
Heart	(50)	(50)	(50)	(50)	
Cardiomyopathy	(00)	1 [1.0]	2 [2.0]	(55)	
Inflammation, Chronic		. []	1 [3.0]		
Mineralization		2 [2.0]	2 [2.5]		
Thrombosis	1 [2.0]	1 [1.0]	1 [4.0]	1 [3.0]	

ENDOCRINE SYSTEM

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Reqsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

B6C3F1 MICE FEMALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L	
Adrenal Cortex	(50)	(50)	(49)	(50)	
Accessory Adrenal Cortical Nodule	10 [3.0]	8 [3.0]	6 [3.0]	10 [3.0]	
Hyperplasia, Focal	2 [2.0]	0 [0.0]	0 [0.0]	. 0 [0.0]	
Hyperplasia, Diffuse	_ [=.0]		1 [3.0]		
Capsule, Hyperplasia			. [5.5]	2 [2.0]	
Zona Reticularis, Vacuolization		1 [2.0]		2 [3.0]	
Cytoplasmic		,		11	
Adrenal Medulla	(50)	(50)	(49)	(48)	
Hyperplasia	()	1 [2.0]	(- /	1 [1.0]	
Islets, Pancreatic	(49)	(50)	(48)	(49)	
Hyperplasia	3 [2.0]	3 [2.0]	(- /	(- /	
Parathyroid Gland	(36)	(47)	(44)	(47)	
Cyst	1 [3.0]	3 [3.0]	(/	4 [3.0]	
Pituitary Gland	(48)	(49)	(48)	(49)	
Pars Distalis, Angiectasis	2 [1.5]	(- /	(- /	(- /	
Pars Distalis, Cyst	1 [3.0]	1 [3.0]	2 [3.0]	3 [3.0]	
Pars Distalis, Hyperplasia, Focal	10 [1.4]	7 [2.3]	4 [2.8]	6 [2.2]	
Pars Intermedia, Hyperplasia				1 [2.0]	
Thyroid Gland	(50)	(50)	(49)	(49)	
Inflammation, Granulomatous	. ,	2 [2.0]	,	,	
C-cell, Hyperplasia				1 [1.0]	
Follicle, Cyst	1 [3.0]	4 [3.0]	4 [3.0]	3 [3.0]	
Follicle, Degeneration, Focal	19 [1.7]	22 [1.9]	20 [2.0]	13 [2.0]	
Follicular Cell, Hyperplasia	15 [2.0]	18 [1.6]	11 [1.9]	9 [1.2]	
GENERAL BODY SYSTEM					
Tissue NOS	(1)	(0)	(2)	(0)	
GENITAL SYSTEM					
Clitaral Clared	(42)	(50)	(40)	(40)	
Clitoral Gland	(43)	(50)	(49)	(46)	
Cyst	1 [3.0]	/FO\	(44)	(40)	
Ovary	(47)	(50)	(44)	(48)	
Amyloid Deposition	1 [3.0]	0 10 01	4 [0 0]	0.01.0	
Angiectasis	6 [3.0]	6 [2.3]	4 [3.3]	6 [2.8]	
Cyst	20 [3.0]	15 [3.0]	12 [3.0]	10 [3.0]	
Hyperplasia, Tubular		1 [2.0]	4 [4 0]		
Thrombosis			1 [4.0]		

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Reqsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

B6C3F1 MICE FEMALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L	
Corpus Luteum, Hyperplasia				3 [3.0]	
Thecal Cell, Hyperplasia	1 [2.0]	1 [3.0]		0 [0.0]	
Uterus	(50)	(50)	(50)	(50)	
Angiectasis	1 [3.0]	2 [2.0]	3 [3.3]	2 [3.5]	
Hemorrhage	[]		- []	1 [3.0]	
Endometrium, Hyperplasia, Cystic	39 [3.1]	46 [3.5]	44 [3.1]	44 [3.1]	
Vagina	(1)	(1)	(0)	(0)	
HEMATOPOIETIC SYSTEM					
Bone Marrow	(50)	(50)	(50)	(50)	
Depletion Cellular	4.4.50.01	1 [2.0]	00 10 71	4.4.50.41	
Hyperplasia	14 [2.9]	10 [2.6]	22 [2.7]	14 [2.4]	
Myelofibrosis	(4.4)	1 [2.0]	(4)	(5)	
Lymph Node	(11)	(11)	(4)	(5)	
lliac, Ectasia	2 [3.0]			4 [4 0]	
Iliac, Hematopoietic Cell Proliferation	4 [2 0]	4 [0 0]		1 [1.0]	
Iliac, Hyperplasia, Lymphoid	1 [3.0]	1 [2.0]			
Inguinal, Hyperplasia, Lymphoid Mediastinal, Hyperplasia, Lymphoid	1 [2.0]	2 [3.0]	1 [3.0]		
Renal, Hyperplasia, Lymphoid	2 [3.0]	2 [3.0]	1 [3.0]		
Lymph Node, Mandibular	2 [3.0] (49)	(49)	(46)	(42)	
Atrophy	1 [3.0]	1 [3.0]	2 [2.5]	(42)	
Hematopoietic Cell Proliferation	1 [5.0]	1 [3.0]	2 [2.5] 1 [2.0]		
Hemorrhage	1 [1.0]	1 [3.0]	1 [2.0]		
Hyperplasia, Lymphoid	2 [2.0]	6 [2.7]	4 [2.5]	7 [2.3]	
Pigmentation	7 [3.0]	9 [3.0]	3 [3.0]	6 [3.0]	
Lymph Node, Mesenteric	(50)	(48)	(47)	(47)	
Atrophy	2 [3.0]	2 [2.5]	2 [3.5]	()	
Ectasia	1 [3.0]	1 [4.0]	_ [0.0]		
Hematopoietic Cell Proliferation	2 [1.5]	2 [2.5]			
Hemorrhage	4 [2.8]	- []			
Hyperplasia, Lymphoid	4 [2.5]	5 [2.6]	1 [2.0]	2 [2.5]	
Spleen	(49)	(50)	(50)	(50)	
Angiectasis	(- /	(/	1 [3.0]	()	
Hematopoietic Cell Proliferation	33 [2.4]	40 [2.2]	39 [2.6]	27 [2.5]	
Pigmentation		4 [3.0]	3 [3.0]	2 [3.0]	
Lymphoid Follicle, Atrophy	1 [3.0]	1 [2.0]	3 [2.7]	1 [3.0]	
Lymphoid Follicle, Hyperplasia	8 [2.1]	13 [2.5]	8 [2.6]	9 [2.2]	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Reqsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

B6C3F1 MICE FEMALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L	
Thymus	(49)	(47)	(49)	(48)	
Atrophy Cyst	2 [3.5]	5 [2.8]	11 [3.1] 2 [3.0]	5 [3.0] 1 [3.0]	
Hyperplasia, Lymphoid	6 [2.3]	7 [2.6]	2 [3.0] 2 [2.5]	5 [2.6]	
INTEGUMENTARY SYSTEM					
Mammary Gland	(50)	(50)	(50)	(50)	
Hyperplasia	4 [2.3]	2 [2.5]	8 [2.5]	6 [2.2]	
Skin	(50)	(50)	(50)	(50)	
Cyst Epithelial Inclusion			1	4 [4 0]	
Edema 			1 [3.0]	1 [4.0]	
MUSCULOSKELETAL SYSTEM					
Bone	(50)	(50)	(50)	(50)	
Fibrosis	1 [2.0]	6 [2.5]	4 [2.5]	4 [2.0]	
Cranium, Osteopetrosis	1 [2.0]	1 [2.0]	(4)	(2)	
Skeletal Muscle	(2)	(2)	(4)	(2)	
NERVOUS SYSTEM					
Brain	(50)	(50)	(50)	(50)	
Compression	2 [3.5]	,	2 [4.0]	1 [3.0]	
Hemorrhage	1 [2.0]	(0)	(4)	44)	
Peripheral Nerve	(1)	(2)	(1)	(1)	
Atrophy		2 [3.0]	1 [2.0]	1 [2.0]	
RESPIRATORY SYSTEM					
Lung	(50)	(50)	(50)	(50)	
Foreign Body				2	
Hemorrhage	2 [2.0]	5 [1.6]	5 [2.0]	6 [1.3]	
Hyperplasia, Lymphoid	1 [2.0]	3 [2.0]	4 [0.0]	0.10.01	
Infiltration Cellular, Histiocyte Metaplasia, Osseous	5 [2.8] 1 [1.0]	2 [1.5]	4 [2.8]	6 [2.3]	
Alveolar Epithelium, Hyperplasia	1 [1.0] 2 [1.5]	4 [1.8]	1 [1.0]	1 [3.0]	
Nose	(50)	(49)	(50)	(50)	
	(/	(/	(/	\ /	

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)

TDMS No. 96019 - 06

Test Type: CHRONIC

Route: DOSED WATER

Species/Strain: MICE/B6C3F1

P18: INCIDENCE RATES OF NON-NEOPLASTIC LESIONS BY ANATOMIC SITE (a) WITH AVERAGE SEVERITY GRADES[b]

WATER DISINFECTION BYPRODUCTS (BROMOCHLOROACETIC ACID)

CAS Number: 5589-96-8

Pathologist: HEATH, J. - Unknown, U.

Date Report Regsted: 08/21/2006

Time Report Reqsted: 10:19:09 First Dose M/F: 10/10/01 / 10/10/01

B6C3F1 MICE FEMALE	0 MG/L	250 MG/L	500 MG/L	1000 MG/L	
Inflammation, Chronic	1 [1.0]			1 [2.0]	
SPECIAL SENSES SYSTEM					
Eye Atrophy Cataract Inflammation, Chronic	(50) 1 [4.0]	(50) 1 [4.0] 1 [3.0] 1 [2.0]	(50)	(48) 2 [4.0] 1 [2.0]	
Harderian Gland Hyperplasia, Focal Inflammation, Chronic	(49) 1 [3.0]	(50) 5 [2.4]	(50) 4 [1.3]	(47) 1 [2.0]	
URINARY SYSTEM					
Kidney Casts Granular	(50) 2 [2.0]	(50) 1 [3.0]	(50)	(50) 1 [2.0]	
Hydronephrosis Infarct Inflammation, Suppurative	8	4	1 [2.0] 2 1 [3.0]	3	
Inflammation, Chronic Metaplasia, Osseous	4 [2.3] 1 [1.0]	2 [1.5]	3 [2.0] 3 [2.0]	3 [2.0] 2 [1.0]	
Nephropathy Renal Tubule, Accumulation, Hyaline Droplet	5 [1.4] 1 [2.0]	5 [1.4]	8 [2.0]	6 [1.0] 1 [4.0]	
Renal Tubule, Necrosis Renal Tubule, Pigmentation	1 [1.0]	(50)	1 [3.0] 1 [4.0]	1 [3.0]	
Urinary Bladder Edema	(50)	(50)	(50) 1 [4.0]	(50)	
Inflammation, Chronic Transitional Epithelium, Hyperplasia	7 [2.1]	4 [2.0]	3 [2.3] 1 [2.0]	6 [2.2]	

^{***} END OF REPORT ***

a - Number of animals examined microscopically at site and number of animals with lesion

b - Average severity grade (1-minimal; 2-mild; 3-moderate; 4-marked)